

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL032114	(X2) MULTIPLE CONSTRUCTION A. BUILDING: 01 B. WING _____	(X3) DATE SURVEY COMPLETED 01/29/2015
NAME OF PROVIDER OR SUPPLIER CENTRAL FAMILY CARE HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 206 E MURRAY STREET DURHAM, NC 27704		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 000	Initial Comments Report by Glenn Hoppin DHSR Construction Section conducted a Complaint Survey on January 29, 2015 at the above referenced facility. DHSR records indicate the home was first licensed on December 08, 2011 as a Family Care Home for six Residents who are ambulatory (able to evacuate and respond without any physical or verbal assistance during a fire or other emergency). Based on this information we are requiring the home to maintain compliance with the following: the 2005 Rules 10A NCAC 13G for Family Care Homes, and the 2009 North Carolina State Building Code - Building Code - Section 421.2 - Residential Care Homes. At the time of our visit, we cited deficiencies that require an acceptable plan of correction. They are as follows:	C 000		
C 153	Houskeeping And Furnishings-Clean, Repaired SECTION .0300 - THE BUILDING 10A NCAC 13G .0315 HOUSEKEEPING AND FURNISHINGS (a) Each family care home shall: (1) have walls, ceilings, and floors or floor coverings kept clean and in good repair; (2) have no chronic unpleasant odors; (3) have furniture clean and in good repair; (e) This Rule shall apply to new and existing homes. This Rule is not met as evidenced by: The facility has a bed bug infestation. The facility is in violation of sanitation regulations in accordance with DENR Form 2094 Section 14 VERMIN CONTROL/PREMISES: Outside	C 153		

Division of Health Service Regulation

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL032114	(X2) MULTIPLE CONSTRUCTION A. BUILDING: 01 B. WING _____	(X3) DATE SURVEY COMPLETED 01/29/2015
NAME OF PROVIDER OR SUPPLIER CENTRAL FAMILY CARE HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 206 E MURRAY STREET DURHAM, NC 27704		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 153	Continued From page 1 openings effectively screened or otherwise protected against entrance of flying insects, and flying insects absent; effective control of rodents and other vermin; approved pesticides properly used; premises neat, clean, drained and free of litter and vermin harborages and breeding areas. Licensed pest control contractors are currently treating the facility for bedbugs. Continue the treatment plan as recommended by the pest control contractor. In addition to the current plan, install passive bedbug traps on all beds and zipped mattress enclosures. Move all beds away from walls and keep all linens and laundry away from the floor. Provide a detailed plan on intake procedures for new residents and all preventive measures that will be taken to prevent bed bugs from being brought into the facility. Contact DHSR Construction when all the required items are in place and a follow up survey and a thorough biennial inspection will be performed.	C 153		